

Amendments to the Claims

1. 1. (currently amended) A storage compartment in a truck bed liner
comprising a divider panel hingedly affixed ~~[[divider panel]]~~ to a liner bottom by
5 a living hinge, the divider panel thereby enabled to rotate about a horizontal axis
to form ~~][that forms]]~~ a vertical wall ~~[[when in a raised position]]~~ and an
enclosure panel ~~[[a]]~~ hingedly affixed ~~[[enclosure panel]]~~ to a tail gate by a living
hinge, the enclosure panel thereby enabled to rotate about a vertical axis ~~that~~
~~forms a horizontal cover member when in a raised position~~, the divider panel and
10 the enclosure panel positioned such that when pivoted about their respective axis'
~~[[in a raised position]]~~ form an enclosed compartment.

2. (original) The storage compartment of Claim 1 further including a divider
panel securing means for positioning and securing the divider panel.

3. (original) The storage compartment of Claim 1 further including an enclosure
panel securing means for positioning and securing the enclosure panel.

4. (currently amended) The improved truck bed liner of Claim 1 wherein the
20 divider panel is located in ~~[[the]]~~ a bottom of the truck bed liner.

5. (withdrawn) The storage compartment of Claim 1 wherein the enclosure panel is located in the back wall of the truck bed liner.

6. (withdrawn) The storage compartment of Claim 1 wherein the enclosure panel
5 is located in the front wall of the truck bed liner.

7. (withdrawn) The storage compartment of Claim 1 wherein the enclosure panel is located in the Side wall of the truck bed liner.

10 8. (original) The storage compartment of Claim 1 wherein the divider panel and the enclosure panel each have three free edges and a fourth edge comprising a hinge means.

9. (original) The storage compartment of Claim 8 wherein the hinge means is a
15 living hinge.

10. (currently amended) The storage compartment of Claim 3 wherein the divider panel securing means comprises at least two protrusions extending outwardly from each side ~~[[Side]]~~ wall of the liner at a predetermined point in the side walls
20 such that they maintain the divider in a 90 degree angle with respect to a a ~~[[the]]~~ bottom when the divider panel is in a raised position, the at least two protrusions being spaced apart from one another along the horizontal axis a sufficient distance

that the divider panel can be positioned between them.

11. (currently amended) The liner of Claim 3 wherein the enclosure panel
securing means comprises at least two horizontal protrusions extending outwardly
from [[each of]] the two side walls of the liner at a predetermined point in the side
5 [[Side]] wall, the at least two horizontal protrusions being spaced apart from one
another a sufficient distance to form a closure channel and secure the enclosure
panel between the horizontal protrusions.

12. (withdrawn) The liner of Claim 1 further comprising a base panel, the base
10 panel having a first side and a second side, the enclosure panel being releasably
affixed to the first side of the base panel when the enclosure panel is not within
the enclosure securing means.

13. (withdrawn) The liner of Claim 1 wherein the enclosure panel is releasably
15 affixed to the first side of the base panel by a hook and loop type of fastener.

14. (original) A storage compartment for a truck bed liner comprising:
an integrated divider panel having at least two living hinges located at
predetermined locations on the divider panel, the living hinges enabling the
20 divider panel to be raised into a vertical position at one of the at least two living
hinges and horizontal position at the second of the at least two living hinges; and
panel securing means, whereby, the divider panel can be positioned and secured

to form a trunk storage compartment.

15. (currently amended) A storage compartment in a vehicle liner comprising a
divider panel hingedly affixed [[divider panel]] to a liner bottom by a living

5 hinge, the divider panel thereby enabled to rotate about a horizontal axis to form
[[that forms]] a vertical wall [[when in a raised position]] and an enclosure panel
[[a]] hingedly affixed [[enclosure panel]] to a tail gate by a living hinge, the
enclosure panel thereby enabled to rotate about a vertical axis [[that forms a
horizontal cover member when in a raised position]], the divider panel and the
10 enclosure panel positioned such that when pivoted about their respective axis [[in
a raised position]] form an enclosed compartment.

16. (original) The storage compartment of Claim 15 further including a divider
panel securing means for positioning and securing the divider panel.

15

17. (original) The truck bed liner of Claim 15 further including an enclosure
panel securing means for positioning and securing the enclosure panel.

18. (withdrawn) The storage compartment of Claim 15 wherein the divider panel
20 is located in the bottom of the vehicle liner.

19. (withdrawn) The storage compartment of Claim 15 wherein the enclosure

panel is located in the back wall of the vehicle liner.

20. (withdrawn) The storage compartment of Claim 15 wherein the enclosure panel is located in the front wall of the vehicle liner.

5

21. (withdrawn) The storage compartment of Claim 15 wherein the enclosure panel is located in the Side wall of the vehicle liner.

22. (original) The storage compartment of Claim 15 wherein the divider panel and the enclosure panel each have three free edges and a fourth edge comprising a hinge means.

10

23. (original) The vehicle liner of Claim 22 wherein the hinge means is a living hinge.

15

24. (currently amended) The liner of Claim 16 wherein the enclosure panel securing means comprises at least two horizontal protrusions extending outwardly from [[each of]] the two side walls of the liner at a predetermined point in the side [[Side]] wall, the at least two horizontal protrusions being spaced apart from one another a sufficient distance to form a closure channel and secure the enclosure panel between the horizontal protrusions.

20

25. (currently amended) The liner of Claim 17 wherein the enclosure panel securing means comprises at least two horizontal protrusions extending outwardly from [[each of]] the two side walls of the liner at a predetermined point in the side [[Side]] wall, the at least two horizontal protrusions being spaced apart from one another a sufficient distance to form a closure channel and secure the enclosure panel between the horizontal protrusions.

26. (original) The liner of Claim 15 further comprising a base panel, the base panel having a first side and a second side, the enclosure panel being releasably affixed to the first side of the base panel when the enclosure panel is not within the enclosure securing means.

27. (withdrawn) The liner of Claim 15 wherein the enclosure panel is releasably affixed to the first side of the base panel by a hook and loop type of fastener.

15

28. (currently amended) An enclosed storage compartment for a vehicle having a storage compartment comprising a divider panel hingedly affixed [[divider panel]] to a liner bottom by a living hinge, the divider panel thereby enabled to rotate about a horizontal axis to form [[that forms]] a vertical wall [[when in a raised position]] and an enclosure panel [[a]] hingedly affixed [[enclosure panel]] to a tail gate by a living hinge, the enclosure panel thereby enabled to rotate about a vertical axis [[that forms a horizontal cover member when in a raised position]],

20

Invention: Truck Bed Liner with Integrated Trunk Storage Compartment

Inventor: Brian Haack

Serial Number: 09/473,791

Page 13

the divider panel and the enclosure panel positioned such that when - - pivoted about their respective axis' [in a raised position] form an enclosed compartment.

29. (original) An enclosed storage compartment for a vehicle having a storage
5 compartment comprising a divider panel having at least two living hinges located at predetermined locations on the divider panel, the living hinges enabling the divider panel to be raised into a vertical position at one of the at least two living hinges and horizontal position at the second of the at least two living hinges; and panel securing means, whereby, the divider panel can be positioned and secured
10 to form a trunk storage compartment.

30. (currently amended) A truck bed of the type made of materials capable of having formed members, the improvement comprising:
a divider panel and further comprising at least two living hinges located at
15 predetermined locations on the divider panel, the living hinges enabling the divider panel to be raised into a vertical position at one of the at least two living hinges and horizontal position at the second of the at least two living hinges; and panel securing means, whereby, the divider panel can be positioned and secured to form a trunk storage compartment with the bottom and an adjacent side [[Side]]
20 wall.

31. (withdrawn) A storage compartment in a truck bed comprising a hingedly

affixed divider panel that forms a vertical wall when in a raised position and a hingedly affixed enclosure panel that forms a horizontal cover member when in a raised position, the divider panel and the enclosure panel positioned such that when in a raised position form an enclosed compartment.

5

32. (withdrawn) The storage compartment of Claim 31 further including a divider panel securing means for positioning and securing the divider panel.

33. (withdrawn) The storage compartment of Claim 31 further including an enclosure panel securing means for positioning and securing the enclosure panel.

10

34. (withdrawn) The storage compartment of Claim 31 wherein the divider panel is located in the bottom of the truck bed.

15

35. (withdrawn) The storage compartment of Claim 31 wherein the enclosure panel is located in the back wall of the truck bed.

36. (withdrawn) The storage compartment of Claim 31 wherein the enclosure panel is located in the front wall of the truck bed.

20

37. (withdrawn) The storage compartment of Claim 31 wherein the enclosure

Invention: Truck Bed Liner with Integrated Trunk Storage Compartment

Inventor: Brian Haack

Serial Number: 09/473,791

Page 15

panel is located in the Side wall of the truck bed.

38. (withdrawn) The storage compartment of Claim 31 wherein the divider panel and the enclosure panel each have three free edges and a fourth edge comprising a hinge means.

39. (withdrawn) The storage compartment of Claim 38 wherein the hinge means is a living hinge.

40. (withdrawn) The storage compartment of Claim 32 wherein the divider panel securing means comprises at least two protrusions extending outwardly from each Side wall of the bed at a predetermined point in the side walls such that they maintain the divider panel in a 90 angle with respect to the bottom when the divider panel is in a raised position, the protrusions being spaced apart from one another along the horizontal axis a sufficient distance such that the divider panel can be positioned between them.

41. (withdrawn) The storage compartment of Claim 33 wherein the enclosure panel securing means comprises at least two horizontal protrusions extending outwardly from each of the two side walls of the bed at a predetermined point in the Side wall, the horizontal protrusions being spaced apart from one another a sufficient distance to form a closure channel to receive and secure the enclosure

panel between the horizontal protrusions.

42. (withdrawn) The storage compartment of Claim 31 further comprising a base panel, the base panel having a first side and a second side, the enclosure panel

5 being releasably affixed to the first side of the base panel when the enclosure panel is not within the enclosure securing means.

43. (withdrawn) The storage compartment of Claim 31 wherein the enclosure panel is releasably affixed to the first side of the base panel by a hook and loop type of fastener.

44. (currently amended) A truck bed ~~of the type capable of having co-joined members and~~ generally having a front wall, two side walls, a bottom, and a tailgate, the improvement comprising:

15


a hingedly affixed divider [[:]] and divider securing means, whereby, the divider can be positioned and secured with the divider securing means to compartmentalize the truck bed.

20 45. (withdrawn) The truck bed of Claim 44 wherein the divider is located in the bottom of the truck bed.

46. (original) The truck bed of Claim 44 wherein the improvement is molded into the truck bed and having three free edges and a fourth edge comprising a hinge means to fix the divider to the bed.

5 47. (original) The hinge means of Claim 46 further comprising a living hinge.

48. (original) The truck bed of Claim 44 wherein the divider is cut into the bed after the bed is manufactured.



10 49. (original) The truck bed of Claim 44 wherein the divider securing means further comprises at least two protrusions extending outwardly from each side wall of the bed at a predetermined point in the side walls such that they maintain the divider in a 90° angle when the divider is in a raised position, said protrusions being spaced apart from one another along the horizontal axis a sufficient distance
15 such that the divider can be positioned between the protrusions [[them]].

50. (original) The truck bed of Claim 44 further comprising [[horizontally]] divided locking means to maintain the divider in a horizontal position when the divider is not in a raised position.

20 51. (withdrawn) The truck bed of Claim 44 wherein the divider is molded into at least one side walls of the bed.

52. (withdrawn) The truck bed of Claim 44 wherein the divider is cut into at least one of the side walls of the bed.

53. (original) An enclosed storage compartment for a vehicle liner comprising a divider panel having at least two living hinges located at predetermined locations on the divider panel, the living hinges enabling the divider panel to be raised into a vertical position at one of the at least two living hinges and horizontal position at the second of the at least two living hinges; and panel securing means, whereby, the divider panel can be positioned and secured to form a trunk storage compartment.